# JOSCO TRUSTED BY INDUSTRY SINCE 1977

## ArLube

## **Lubrication Equipment**

For a comprehensive range of lubrication equipment ranging from grease guns, hose reels to drum pumps.

## **Contents**

Grease Guns	3
Grease Gun Accessories	
Grease Kits	10
Grease Kit Accessories	
Oil Transfer Kits	
Drum Pumps	13
Oil Guns	21
Oil & Chemical Bottles	23
Oil Measures	24
Fuel Nozzles	
Fuel Accessories	26
Funnels	
Miscellaneous	
Hose Reels	
Drum Moving	
Grease Nipples	
Contact	37

#### **Premium Professional Grease Gun**

#### **Trigger Action**

Part No: ARG2666

- Suitable for use with 450gram cartridges or bulk grease
- High pressure
- Up to 12,000psi
- Heavy duty 4 jaw coupler
- Can be loaded with a filler pump
- Includes 300mm flexible extension to get into those difficult to reach places



#### 400g Grease Gun

#### **Trigger Action**

Part No: ARG2444

- Suits 400gram cartridge
- Develops up to 8,000psi
- Delivers a minimum of 28gm/40 strokes
- Three way loading cartridge, bulk grease or filler pump
- 400cc capacity when using bulk grease
- 450mm high pressure flexible nylon hose
- Heavy duty 4 jaw coupler



#### **Trade Grease Gun**

#### **Trigger Action**

- Suitable for use with 450gram cartridges or bulk grease
- Up to 6,000psi
- 600cc capacity with bulk grease
- Heavy duty 4 jaw coupler
- Can be loaded from filler pump
- Includes 300mm flexible extension



#### **Premium Professional Grease Gun**

#### Lever Action

Part No: ARG2555

- Suitable for use with 450gram cartridges or bulk grease
- High pressure up to 12,000psi
- Heavy duty 4 jaw coupler
- Can be loaded from filler pump
- Includes 150mm rigid extension



#### 400g Grease Gun

#### Lever Action

Part No: ARG2333

- Suits 400gram cartridge
- Develops up to 10,000psi
- Three way loading cartridge, bulk grease or filler pump
- 400cc capacity when using bulk grease
- Includes 150mm rigid extension and a heavy duty 4 jaw coupler
- Delivers a minimum of 28gm/40 strokes



#### **Trade Grease Gun**

#### Lever Action

- Suitable for use with 450gram cartridges or bulk grease
- Up to 8,000psi
- 600cc capacity with bulk grease
- Heavy duty 4 jaw coupler
- Can be loaded from filler pump
- Includes 150mm rigid extension



#### Air Operated Grease Gun

#### **Heavy Duty Construction**

Part No: ARG5700

- Suits 450gram cartridge
- Develops up to 6,000psi
- 360° angle-free head rotation
- Continuous flow
- Three-way loading cartridge, bulk grease or filler pump
- High pressure



#### **18V Cordless Grease Gun**

#### **Battery Powered**

- Cordless, battery powered grease gun
- 18V battery
- Suits **450gram** cartridge
- Develops up to 10,000psi
- 75 gram per minute volume grease flow
- 1 hour quick charge
- 2 x 18V long-life Lithium Ion battery included
- 1m heavy duty high pressure hose
- Up to 5 cartridges of grease on a single charge of the battery
- Three-way loading cartridge, bulk grease or filler pump
- Heavy duty plastic storage case
- Shoulder strap



#### Mini Grease Gun

#### Lever Action

Part No: ARG2670

- Develops up to 4,000psi
- 120cc capacity
- Includes heavy duty 4 jaw coupler
- Short stroke lever action
- Fits into difficult to access places



#### Mini Grease Gun

#### **Trigger Action**

Part No: ARG2240

- Suits **85gram** grease cartridges
- Develops up to 4,000psi
- 120cc capacity
- Heavy duty 4 jaw coupler
- Two-way loading cartridge or bulk grease
- High pressure, heavy duty construction
- Two direction outlet



#### **Mini Grease Gun** High Pressure

- 1,000 psi
- Easy bulk load
- 80cc capcity



## **Grease Gun Accessories**

#### **Button Head Push On Coupler**

Part No: ARA2710

- Push on type coupler for standard button grease nipples
- Includes built in swivel
- Zinc alloy



#### **Button Head Pull On Coupler**

Part No: ARA2705

- Pull on type coupler for standard button grease nipples



#### **Drum Spanner**

- Aluminium drum spanner
- 3/4" slotted bung end 2" bar bung
- For easy loosening and tightening of small and large drum bungs
- Heavy duty tool



## **Grease Gun Accessories**

#### **Grease Gun Coupler**

Part No: ARA2715

- 4 jaw coupler for standard grease nipples
- High delivery due to no midway valve
- Industrial quality
- Easy on and off



#### **Injector Needle with Shroud**

Part No: ARA2701

• Case hardened needle point with safety shroud



#### Replacement Injector Needle

Part No: ARA2702

• Case hardened



## **Grease Gun Accessories**

#### **Grease Gun Cartridge Warmer**

Part No: ARA2775

- Use on **450g** and **400g** grease cartridges
- Can be used in very low temperatures
- Fast heating
- Plugs into your cigarette lighter 12V



#### **Rigid Extension**

Part No: ARA2720

- 1/8" BSP thread both ends
- Suits all brands of grease guns
- Length: 150mm



- Highly flexible
- Industrial quality
- Minimum burst pressure of 14,400psi
- Spiral wire protector at gun end

#### Lengths available:

- 200mm (Part no. ARA2725)
- 300mm (Part no. ARA2726)
- 450mm (Part no. ARA2727)
- 700mm (Part no. ARA2730)



## **Grease Kits**

#### 2.5kg Grease Kit

Part No: ARP2944

- Grease pressure of up to 10,000psi
- A highly portable manual greasing pump
- Spring foot load plunger for priming the grease control valve
- Switch for high volume or high pressure delivery
- One-hand grease control valve with rigid tube and 3 jaw coupler
- Comes with 2m hose and a grease pail
- Replacement hand piece available (ARP2999)
- Delivers approximately 1.25grams per strike on high volume setting and approximately 0.45grams per strikeon high pressure setting



#### 20kg Hand Operated Grease Kit

Part No: ARP2955

- Up to 10,000psi grease pressure
- High volume/high pressure setting
- Excellent substitute for air operated
- Suits 20kg grease drum
- Dust cover: ID 311 mm; Follower plate: OD 292mm
- More economical than air operated pumps
- Comes with 3m hose
- Replacement hand piece (ARP2999) available
- Delivers approximately 1.25grams per strike on high volume setting and approximately 0.45grams per strike on high pressure setting

(Product supplied may differ slightly from that shown)



## **20kg Air Operated Grease Kit** With Handle

- 50:1 ratio air operated pump
- 4m of hose
- Grease gun with swivel joint
- Follower plate with rubber rim
- Easy positive greasing
- Compact size
- Drum cover designed for easy changing of drum



## **Grease Kit Accessories**

#### **Follower Plate**

Part No: ARA5190

- Suits 20kg drum
- Industrial quality



## **Oil Transfer Kits**

## **Heavy Duty Oil Transfer Kit**

- 3:1 ratio air operated pump
- Suits 205L drum
- Transfers 18L per minute
- Suitable for all engine oil, gear oil & differential oil



## **Drum Pumps - Push & Pull**

#### **20L Drum Pump**

#### Oil

Part No: ARP3428

- Suits 20L drums
- 10 strokes per litre
- Suitable for engine, differential, gear and hydraulic oils
- Ideal for topping up engines, differentials and gear boxes
- Nozzle drains back into drum after use
- 1.5m of anti-kink hose

(Product supplied may differ slightly from that shown)



#### **20L Drum Pump**

Part No: ARP3420

- Suits 20L drums
- 10 strokes per litre
- Suitable for engine, differential, gear and hydraulic oils
- Ideal for topping up engines, differentials and gear boxes
- Nozzle drains back into drum after use
- With rigid spout

(Product supplied may differ slightly from that shown)



## **20L Drum Pump**

#### **ATF**

Part No: ARP3426

- Suits 20L drums
- For automatic transmission fluid
- 14 strokes per litre
- Drains back into drum after use
- 1.5m of anti-kink hose



## **Drum Pumps - Spring**

#### **20L Drum Pump**

#### Gear Oil

Part No: ARP3492

- Made in Australia
- Suits 20L drum
- Approximately 3.5 strokes per litre
- 1.5m anti-kink hose
- Lever operated trigger nozzle
- Drain back nozzle holder

(Product supplied may differ slightly from that shown)



#### **20L Drum Pump**

#### **ATF**

Part No: ARP3493

- Made in Australia
- Suits 20L drum
- For automatic transmission fluid
- Approximately 3.5 strokes per litre
- 1.5m anti-kink hose
- Lever operated trigger nozzle
- Drain back nozzle holder
- Replaceable stainless steel mesh filter

(Product supplied may differ slightly from that shown)



#### **60L Drum Pump**

#### Gear Oil

Part No: ARP3498

- Made in Australia
- Suits 60L drum
- Approximately 2 strokes per litre
- Heavy duty
- Quality mechanism
- 1.5m anti-kink hose
- Dispensing nozzle and drain back nozzle holder



## **Drum Pumps - Spring**

#### **60L Drum Pump**

#### **ATF**

Part No: ARP3497

- Made in Australia
- For automatic transmission fluid
- Approximately 2 strokes per litre
- Heavy duty
- Quality mechanism
- 1.5m of anti-kink hose
- Dispensing nozzle and drain back nozzle holder



## **Drum Pumps - Rotary**

#### **60L Drum Pump**

#### Hi-Volume Refuelling

Part No: ARP3260

- Suits 205L and fits 60L drums
- Up to 100LPM
- Fast and efficient pumping of petrol, diesel or kerosene
- 10 micron inlet filter included
- Complete with 1.3m of polypropylene hose
- Heavy duty



#### **205L Drum Pump**

#### Rotary

Part No: ARP3250

- Suits 205L and fits 60L drums
- Up to 25LPM
- Suitable for petrol, diesel, kerosene and light oils
- Cast alloy pump body
- 1.2m of 25mm polypropylene discharge hose, without nozzle
- Can syphon and transfer fuels in reverse



#### **205L Drum Pump**

#### Rotary

Part No: ARP3255

- Suits 205L and fits 60L drums
- Up to 23LPM
- Suitable for petrol, diesel, kerosene and light oils
- Cast alloy pump body
- 2.2m of 25mm heavy duty fuel hose and dispensing nozzle
- Can sypon and transfer fuels in reverse



## **Drum Pumps - Rotary**

#### **205L Drum Pump**

#### Hi-Volume Refuelling

- Suits 205L and fits 60L drums
- Up to 100LPM
- Fast and efficient pumping of petrol, diesel or kerosene
- 10 micron inlet filter included
- 2.8m heavy duty farm hose to metal spout
- Heavy duty
- With spout holster stops dripping



## **Drum Pumps - Lever Action**

#### 205L & 60L Drum Pump

#### Oil Transfer

- Suits 205L and fits 60L drums
- 250cc per stroke
- Suitable for diesel, oil, kerosene, coolant and ATF
- Can also be used for other light to medium viscosity lubricants
- Quality mechanism
- Dual bung threads for both drum types



## **Drum Pumps - Chemical**

#### **20L Drum Pump**

#### Polypropylene

Part No: ARP3430

- Suits 20L drums
- T-handle type
- Suitable for the transfer of ammonia, mild acids and alkalis, nitric acid up to 40% concentration, petrol, oil and diesel
- Stainless steel T316 metallic parts with PTFE seals and PTFE suction tube



#### **60L Drum Pump** Syphon

Part No: ARP3910

- Suits 205L and fits 60L drums
- Delivers up to 20 LPM
- Low cost, disposable pump for the transfer of chemicals and solvents - chemical compatibility list available
- Includes a 875mm pick up tube and a 1.2m delivery hose



#### **205L Drum Pump**

#### Polypropylene Rotary Action

- Suits 205L and fits 60L drums
- Up to 20LPM
- Suitable for the transfer of petrol, diesel, water, light grade oil, herbicides, pesticides, chemicals and mild detergents - chemical compatibility list available
- Polypropylene, ryton and stainless steel metallic parts offer good chemical resistance
- Unique, rotating 2 piece discharge spout assists fluid transfer



## **Drum Pumps - Chemical**

#### **205L Drum Pump**

#### Ryton Rotary Action

Part No: ARP8215

- Suits 60L and or 205L drums
- Flow rates of up to 20LPM
- Suitable for the transfer of low viscosity fluids, mild chemicals, mild alkali, petrol, diesel, light grade oil and anti-freeze - chemical compatibility list available
- Body and vanes ryton and stainless steel metallic parts provides excellent chemical compatibility
- Discharge spout can be rotated to different positions

(Product supplied may differ slightly from that shown)



#### **205L Drum Pump**

#### Stainless Steel

- Suits 60L or 205L drums
- Delivers 500ml on the down stroke
- Suitable for the transfer of ammonia, mild acids and alkalis, nitric acid up to 40% concentration, petrol, oil and diesel
- T304 stainless steel components
- Seal, o-rings and piston made of PTFE
- Adjustable outlet spout



## Oil Guns

#### **Oil Suction Gun**

#### 1000cc

Part No: ARG3625

- Quality no leak piston/cylinder design
- Suitable for emptying and filling engines, gear boxes and differentials
- Industrial quality
- Long flexible suction hose
- 1000cc capacity



#### **Oil Suction Gun**

#### 500cc

Part No: ARG3620

- Quality no lead piston/cylinder design
- Suitable for emptying and filling engines, gear boxes and differentials
- Industrial quality
- Long flexible suction hose
- 500cc capacity



## **Mini Oil Suction Gun**

#### 200cc

- Small convenient size
- With plastic hose
- Economical
- 200cc capacity



## Oil Guns

## **Pompom Oil Gun**

#### 300cc

Part No: ARG3602

- Efficient and economical
- 300cc
- Industrial
- Excellent pressures
- To lubricate oil points via oil nipples



#### Oil Can

#### **Rigid Spout**

Part No: ARC3698

- Features an efficient force-feed metal pump mechanism
- Quality mechanism
- 500cc capacity



#### Oil Can

#### Flexible Spout

- Features an efficient force-feed metal pump mechanism
- Quality mechanism
- 500cc capacity



## Oil & Chemical Bottles

#### Oil & Chemical Bottle

#### **Brass Spout**

Part No: ARC3240

- 125ml
- More accurate dispensing
- Better delivery in compact places
- Lightweight container
- Suitable where a small amount of fluid is required



#### Oil & Chemical Bottle

#### Rigid Plastic Spout

- 125ml
- Fine fluid delivery due to fine tip
- Use in hard to reach places
- Assist in keeping a clean environment
- Suitable where a small amount of fluid is required
- Lightweight container



## Oil Measures

#### Oil Measure

#### 1L Polypropylene

Part No: ARM9205

- Strong, heavy duty plastic
- Flexible delivery spout for topping up engines, gear boxes and differentials quickly and easily
- 1L oil measure
- Made in New Zealand



#### Oil Measure

#### 2L Polypropylene

Part No: ARM9207

- Strong, heavy duty plastic
- Flexible delivery spout for topping up engines, gear boxes and differentials quickly and easily
- 2L oil measure
- Made in New Zealand



#### Oil Measure

#### 5L Polypropylene

- Strong, heavy duty plastic
- Flexible delivery spout for topping up engines, gear boxes and differentials quickly and easily
- 5L oil measure
- Made in New Zealand



## **Fuel Nozzles**

#### **Fuel Nozzle**

#### Manual

Part No: ARN4111

- Suitable for leaded petrol, diesel and oil (not suitable for unleaded petrol)
- Flow rate of up to 150LPM
- 1" BSP female swivel outlet
- Suitable for gravity feed from farm tank or electric pump
- Can be locked in on position



#### **Fuel Nozzle**

#### Manual

Part No: ARN4116

- Suitable for petrol (leaded and unleaded) and diesel
- Flow rate of up to 150LPM
- 1" BSP female swivel outlet
- Suitable for gravity feed from farm tank or electric pump
- Can be locked in on position



## **Fuel Nozzle**

#### **Auto Shut Off**

- Suitable for leaded petrol, diesel and oil (not suitable for unleaded petrol)
- Compact, lightweight and easy to use
- Flow rates of up to 80LPM
- Can be locked in the on position



## **Fuel Accessories**

#### **Fuel Meter**

#### Turbine Digital

Part No: ARM4700

- Suitable for diesel and kerosene only (Not suitable for low/medium viscosity liquids)
- Simple, reliable, small & economical
- Turbine measuring system
- 5 digit readout, resettable total
- Flow rate range: 60L/min
- Accuracy to +1%
- 1" BSPT thread



#### **Fuel Nozzle**

#### Mechanical

- Suitable for diesel, kerosene, gasoline and low/medium viscosity liquids
- Reliable, easy to install and simple to calibrate in the field
- Flow rate range: 19-75L/min
- Accuracy to +1%
- Maximum operating pressure: 150psi
- · Aluminium metering chamber with polybutylene nutating disk
- 1" BSPT thread



## **Funnels**

#### **Heavy Duty Metal Funnel**

#### With Filter

Part No: ARF9115

- 1.2L capacity
- Heavy duty metal construction
- Anti-splash rim
- Strong plastic outlet
- Removable brass filter
- 160mm diameter 20mm outlet
- Robust



#### **Large Garage Funnel**

#### With Filter

Part No: ARF9120

- 4L capacity
- Polyethylene chemical and oil resistant
- Removable brass filter
- 190 x 280mm with 30mm outlet
- Robust



## **Large Funnel**

#### With Filter

- Angular spout is convenient for use in hard to reach locations
- Comes complete with removable filter
- 155mm wide
- Polyethylene chemical and oil resistant



## **Funnels**

#### **Four Funnel Set**

- A selection of high quality plastic funnels to suit a variety of applications
- Suitable for use with ATF, hydraulic, gear and engine oils and most fuels including diesel and petrol
- Polyethylene chemical and oil resistant



## Miscellaneous

## **Multi-Purpose Mini Pump**

#### 1L Bottle

Part No: ARP3915

- Suitable for all oils, automatic transmission fluids and brake fluids
- Capacity: 1L
- Not suitable for combustible fluids
- Self-contained unit prevents oil contamination when not in use
- Economical

(Product supplied may differ slightly from that shown)



#### **Waste Oil Extractor**

#### Manual

Part No: ARD3705

- 7.3L capacity
- Can be used in boats for draining bilges
- Can be used to drain engine through the dip stick
- Auto shut off



## Miscellaneous

#### **Digital Tyre Gauge**

Part No: ARI9005

- 5psi to 150psi measuring range
- Accurate to +1%
- Two position lever for inflation and deflation
- Display powered by 2 CR2032 Lithium batteries
- Battery life of 140 hours
- Can be turned on and off as required
- Aluminium body



#### **Universal Bearing Packer**

- Easy to use with either air or hand operated grease guns
- Working height between cones: 0-50mm
- Use as portable or bench mounted
- Bearing capacity: minimum 10mm ID; maximum 135mm OD
- For roller and ball bearings





## **Hose Reels**

#### **Compact Air Hose Reel** 15m

Part No: ARR7115

- Industrial quality
- Metal mounting bracket
- Hose position lock
- 15m x 8mm ID hose



#### **Air Hose Reel** 20m

Part No: ARR7120

- Industrial quality
- Metal mounting bracket
- Metal carry handle
- 20m x 3/8" ID hose



#### **Water Hose Reel** 20m

- Industrial quality
- Metal mounting bracket
- Metal carry handle
- Replaceable hose
- 20m x 1/2" ID hose
- Nozzle holder
- Water nozzle included



## **Drum Moving**

#### **Drum Lifter**

#### Vertical

- For use with 205L drums
- Maximum load capacity of 500kg 5 times safety factor
- 50mm suspension hole diameter
- Epoxy paint finish
- Can be used on drums with or without lids



## **Grease Nipples**

#### Metric

Bulk Pack				
Part No.	Trade Reference No.	Size	Angle	Pack Quantity
ARX61001	161	6 x 1 m m	Straight	100
ARX61002	168	6 x 1mm	45° Elbow	100
ARX61004	165	6 x 1 m m	90° Elbow	100
ARX61101	162	8 x 1mm	Straight	100
ARX61102	172	8 x 1mm	45° Elbow	100
ARX61104	169	8 x 1mm	90° Elbow	100
ARX61121	15	8 x 1.25mm	Straight	100
ARX6112	19	8 x 1.25mm	45° Elbow	100
ARX6114	27	8 x 1.25mm	90° Elbow	100
ARX61201	200	10 x 1 mm	Straight	100
ARX61202	203	10 x 1 mm	45° Elbow	100
ARX61204	204	10 x 1 mm	90° Elbow	100
ARX6121	205	10 x 1.5mm	Straight	100

10 Pack - Clamshell				
Part No.	Trade Reference No.	Size	Angle	Pack Quantity
ARX61001P	161	6 x 1 mm	Straight	10
ARX61002P	168	6 x 1 mm	45° Elbow	10
ARX61004P	165	6 x 1 mm	90° Elbow	10
ARX61101P	162	8 x 1 mm	Straight	10
ARX61102P	172	8 x 1 mm	45° Elbow	10
ARX61104P	169	8 x 1 mm	90° Elbow	10
ARX61201P	200	10 x 1 mm	Straight	10



## **Grease Nipples**

**Imperial** 

Bulk Pack				
Part No.	Trade Reference No.	Size	Angle	Pack Quantity
ARX63401	29	1/8" BSP	Straight	100
ARX63402	34	1/8" BSP	45° Elbow	100
ARX63403	39	1/8" BSP	67.5° Elbow	100
ARX63404	44	1/8" BSP	90° Elbow	100
ARX63601	48	1/4" BSP	Straight	100
ARX63602	52	1/4" BSP	45° Elbow	100
ARX66601	185	1/4" UNF	Straight	100
ARX66602	187	1/4" UNF	45° Elbow	100
ARX66603	188	1/4" UNF	67.5° Elbow	100
ARX66604	189	1/4" UNF	90° Elbow	100
ARX66606	1020	1/4" UNF	28mm (1.1/8") Long	100
ARX62601	1	1/4" BSF	Straight	100
ARX62701	12	5/16" BSF	Straight	100
ARX65601	47	1/4" NPT	Straight	100

10 Pack - Clamshell				
Part No.		Size	Angle	Pack Quantity
ARX63401P	29	1/8" BSP	Straight	10
ARX63402P	34	1/8" BSP	45° Elbow	10
ARX63404P	44	1/8" BSP	90° Elbow	10
ARX63601P	48	1/4" BSP	Straight	10
ARX66601P	185	1/4" UNF	Straight	10
ARX66604P	189	1/4" UNF	90° Elbow	10
ARX62601P	1	1/4" BSP	Straight	10



#### **Grease Nipple Assortment**

#### 100 Piece Metric

Part No: ARX69101

Contents (10 of each):

- 6 x 1mm Straight
- 6 x 1mm 45° Elbow
- 6 x 1mm 90° Elbow
- 8 x 1mm Straight
- 8 x 1mm 45° Elbow
- 8 x 1mm 90° Elbow
- 10 x 1 mm Straight
- 10 x 1mm 45° Elbow
- 10 x 1mm 90° Elbow
- $10 \times 10 \times 1.5$ mm Straight



#### **Grease Nipple Assortment**

#### 100 Piece Metric/Imperial

Part No: ARX69308

Contents (10 of each):

- 6 x 1mm Straight
- 8 x 1mm Straight
- 10 x 1 mm Straight
- 1/8" BSP Straight
- 1/8" BSP 45° Elbow
- 1/8" BSP 90° Elbow
- 1/8" BSP Button Head
- 1/4" BSP Straight
- 1/4" UNF Straight
- 1/4" UNF Long



#### **Grease Nipple Assortment**

#### 100 Piece Imperial

Part No: ARX69005

Contents (10 of each):

- 1/8" BSP Straight
- 1/8" BSP 45° Elbow
- 1/8" BSP 67.5° Elbow
- 1/8" BSP 90° Elbow
- 1/8" BSP Button Head
- 1/8" NPT Straight
- 1/4" BSP Straight
- 1/4" UNF Straight
- 1/4" UNF Long
- 1/4" BSF Straight



#### **Thread Tester**

Part No: ARA6910

• Includes all popular sizes including BSP, metric, NPT, UNF, BSW & BSF



#### **Grease Nipple Dust Cover**

Part No: ARX69999

- Easy identification of lube points
- Helps keep grease nipples and bearings dirt free and dry







Josco's extensive product range also includes strip-it discs, carbide burrs, flap discs, polishing products, holesaws, tin snips, flap wheels, keysteel, mounted points, engineer's chalk, letter and number stamps, plus brooms.

To request more information on any Josco or Arlube products, please contact us at:

196 Hammond Road Dandenong South, VIC, 3175

Free Call: 1800 445 444 Free Fax: 1800 447 388

Email: customerservice@josco.com.au

WWW.JOSCO.COM.AU



**Lubrication Equipment**