


# Catalog November 2021 Beveltools



[www.beveltools.com](http://www.beveltools.com)





## Content

|  |           |
|--|-----------|
| <b>Beveltools advantages</b>               | 4         |
| <b>Types of cutter heads and materials</b> | 5         |
| <b>Bevel Mite®</b>                         |           |
| EBI-06 Premium                             | 9         |
| EBI 3.0 electric motor                     | 10        |
| EBI-C 3.0 cordless                         | 10        |
| ABIS-R pneumatic motor                     | 11        |
| ABIS-B pneumatic motor                     | 11        |
| Cutter heads assortment                    | 13        |
| <b>Bevel Mate®</b>                         |           |
| EBA 3.0 electric motor                     | 17        |
| ABA 3.0 pneumatic motor                    | 18        |
| Cutter heads assortment                    | 19        |
| Guide                                      | 23        |
| Accessories                                | 24        |
| <b>Contact</b>                             | <b>26</b> |

A close-up photograph of a Beveltools 3.0 pneumatic tool. The tool is black with a silver-colored cutting edge. It is positioned against a metal pipe, and a bright orange spark is visible at the point of contact, indicating the tool is in use. The background is blurred, showing more of the industrial setting.

# Beveltools The Game Changer

Regardless of whether you are beveling or rounding metal, Beveltools' innovative patented technology created a true revolution!

After Beveltools introduction in 2015 we brought our solution to the next level in 2020 by introducing **Beveltools 3.0**

Improved and completely new developed pneumatic and electrical tools together with improved cutters and guide bearings results in even significant better results and durability.

Older methods sold by the competition for weld preparation, rounding and beveling are physically demanding, inaccurate and time-consuming. With this in mind Beveltools has been developed.

2 compact and ergonomic concepts, Bevel Mite® and Bevel Mate®. They make weld preparation, beveling and rounding metal easier, faster, more accurate and cheaper.

Experience the difference now with our patented solution!

**With Beveltools your company will be ready for the future.**

# Beveltools advantages

## Weld preparation and beveling

Welding remains a professional's job. Not everybody can create strong and clean weld. It all starts with a perfect bevel. By introducing the norm NEN-EN 1090 and ISO 9692 a good welding becomes more important, due to the specific requirements to manufacture steel and aluminum construction components.

## Rounding

Smooth and even rounding is essential whether you need to comply with IMO PSPC, ISO 12944, ISO 8501 or NEN-EN 1090. With the products from Beveltools, high quality that complies with all the norms and guidelines can be achieved quickly and consistently when rounding a wide range of metals.



### Accurate and even

The Beveltools products make for consistent and accurate angles or rounding for metals. This produces stronger welding joints, a good bonding surface for paint and coatings, or smooth cable entry holes.



### Work faster

Beveling and rounding metals goes faster than with current conventional methods thanks to the unique design of the bevel head. The shaping and angle of the cutting surfaces mean that the metal can be cut quickly and effortlessly.



### Long service life

Experience shows that with correct and careful use, you can bevel 100 to 140 metres with only one bevel head. For rounding, you can achieve up to 250 metres and sometimes even more depending on the edge's hardness.



### No finishing needed

An impeccable result is achieved immediately, with no finishing needed. Discoloration is prevented through precision machining that adds hardly any heat to the material.



### Lightweight and handy to use

Because of the handy design and the light weight, minimal physical effort is needed to operate the machine. The machine rests on the material during rounding and beveling. The only effort required is guiding the machine.



### Better working conditions

Beveling is done with hardly any sparks or vibrations. The chips are large and heavy, meaning they immediately drop to the ground. It doesn't release any harmful dust particles and/or combustion gases. Work without vibrations and prevent getting HAVS

# Types of bevel heads and materials

Would you always like to achieve the best and most consistent end results when preparing an edge? With the Beveltools bevel heads, this can always be done quickly and cheaply.

## Beveltools offers 3 different types of bevel heads



### Steel

The bevel heads for steel are ideal for beveling and rounding the most common types of steel such as S235. For rounding and beveling harder types of steel, we have developed the version 3.0 bevel head.

*Note: The STL versions will be phased out because bottom line higher quality cutters are more versatile and requested. So when STL versions are out of stock these will not be replaced anymore.*



### Version 3.0

Stronger types of construction steel and plasma- or laser cut steel need a special type of cutter head. The NEW 3.0 cutter heads produced with state-of-the-art hard metal / carbide components, grinding technology and high-end coatings. This makes the 3.0 cutter ideal for stronger types of construction steel. You can recognize these 3.0 cutters at their bronze/copper toned coating.



### Aluminum

The chips from non-ferrous metals such as aluminum can weld to the cutting surfaces of the bevel head. The aluminum bevel head has the perfect cutting edge for this group of metals. The combination of the right geometry and coating means that aluminum, non-ferrous metals and harder plastics can be bevelled or rounded with no problems, and without the use of any lubricants.

Patented cutter heads with angle:  
15° - 22,5° - 30° - 37,5° - 45° - 52,5° - 60°



Patented cutter heads with radius:  
R2 - R3 - R4 - R5 - R6 - R8



## Choose the right bevel head that suits the material

For the best end result, it is highly important to choose the right bevel head that is the most suitable for the job at hand. The diagram below is a guide for making the right choice.

|                     |   | S235 | >S355 | Plasma/<br>laser cut steel | Stainless steel<br>304 | Non-ferrous<br>metals |
|---------------------|---|------|-------|----------------------------|------------------------|-----------------------|
| Steel head          |  | 😊😊   | 😊     | 😊                          | 😞                      | 😞                     |
| Version 3.0<br>head |  | 😊😊😊  | 😊😊😊   | 😊😊😊                        | 😊                      | 😞                     |
| Aluminum<br>head    |  | 😞    | 😞     | 😞                          | 😞                      | 😊😊😊                   |

## Patented Beveltools 3.0 cutters with new high-end coating



## User experience - Linssen Yachts B.V.

*“With Beveltools, I have finally found a way to round steel without needing to deburr or polish afterwards.”*



Linssen Yachts from Maasbracht is a family business specialising in the manufacture of steel motor yachts with lengths of between 8 and 15 metres. Linssen Yachts was founded in 1949 and has grown in the Netherlands to become one of the major players in this sector of yacht-building. In the meantime, the company has developed a large sales network all across Europe. The various models of yachts are designed and finished by their own specialists. By producing them in batches and using the best materials and techniques to do so, the steel yachts are of excellent quality.

In yacht-building, the finishing is crucial. Peter Zentjes (Production Leader - Hulls) says: “rounding sharp edges in the hull material is important to ensure that the coating and paint bond well and stay on for a long time. Rounded edges look better to the end user too. By rounding sharp edges with Beveltools,

you get a beautiful, smooth, rounded finish.”

The Beveltools system is used almost daily in the hull production hall. “Before, we used to weld a tube on the top edge to create the rounding. Then we had to deburr the material from irregularities. This was time-consuming work. I went on the lookout for a system that would create a rounding in the steel without needing deburring and polishing afterwards. I quickly came across Beveltools,” says Peter.

The EBA tool in combination with the Premium bevel head is the perfect solution for Linssen Yachts. “The machine is lightweight and handy. I can use it anywhere. The Beveltools R3 and R4 bevel heads we use have a long service life but are easy to replace when necessary. For us, Beveltools is the ideal method to achieve quick and consistent rounding,” says Peter.



## User experience - Texas, USA

**“After using the Bevel Mate® EBA-12 for one week, we had made up all the lost time and were even a week ahead of schedule. For our next project, we will definitely be using this machine from the start.”**

A well-renowned company in the oil, gas and chemical industry from Texas, USA, had already been introduced to the Bevel Mate® concept, but - as is often the case - there was no time to go into the field and view a machine in action.

Two weeks later, it turned out that it had been unwise not to free up some time for this. They were behind schedule on a project. If they failed to meet the deadline, they would be

facing severe penalties. That was enough reason for a demonstration of the Bevel Mate® EBA, together with all the workers involved.

During the demonstration, it quickly turned out that the skeptical attitude of the workers was completely unfounded. The Bevel Mate® EBA-12 proved to be 15 times faster than the grinding disc in creating a bevel of exactly 37.5° for an accurate weld.



# Bevel Mite® 3.0 | For lighter work

## The Bevel Mite® concept

For lighter beveling and rounding work, up to a depth of 6 mm, you can use the Bevel Mite® tools. These tools are compact, manoeuvrable and lightweight. This makes them excellent for usage on smaller shapes as well. Bevel Mite tools are available with 3 motor types: electric motor (EBI), a pneumatic motor (ABIS) or battery powered motor (EBI-C).



## VERSION 3.0 NEW: Bevel Mite® 3.0

The Bevel Mite® tools always have been popular for usage on smaller shapes, thinner plates and for preparing edges in smaller holes. Never the less we decided to use the feedback from users and distributors worldwide to develop new range of Bevel Mite® tools.

The result: 4 complete new designed Bevel Mite® tools that offer even more ease-of-use, consistent look and better/easier height adjustment. Also all Bevel Mite® 3.0 versions now have a spindle locking button, for easy change of cutters, and a freely rotating flange. The flanges have been nitrated as well to get the highest possible hardness which improves the sliding capability.

The new Bevel Mite® product line contains one new angled electric version, an angled cordless version and two pneumatic tools, both with different strength.

For those who prefer a straight electric tool we kept the EBI-06 Premium available.

## Electric motor

|                                    | EBI-06 PREMIUM                                |
|------------------------------------|---|
| Part no.                           | 1031010                                       |
| Motor                              | Electric                                      |
| Max. bevel depth                   | 6 mm  |
| Available radius cutters           | R2 - R3 - R4                                  |
| Available bevel heads              | 15° - 22,5° - 30° - 37,5° - 45° - 52,5° - 60° |
| Power                              | 500 W   |
| Voltage                            | 230 V (also available in 120 V)               |
| Speed                              | adjustable speed 5.000 - 10.000 rpm           |
| Weight                             | 2,0 kg  |
| Min. opening diameter for beveling | 22 mm   |
| Min. opening diameter for rounding | 16 mm   |

## EBI-06 PREMIUM



## The 2 new EBI 3.0 tools are lightweight and easy to use

A precise depth adjustment in 0,125 mm increments.

The spindle locking buttons makes changing the cutters even simpler and quicker.

A rotating flange head of QPQ nitrated hardened steel.

Available in 230V. 120V and 120V with UK plug



Electric motor



Battery

EBI 3.0

3.0



EBI-C 3.0 cordless

3.0



Spindle locking  
button



Freely rotating  
and nitrated flange



Stong 18V/5Ah  
battery

|                                    | EBI 3.0                                       | EBI-C cordless                                |
|------------------------------------|---|---|
| Part no.                           | 1041000                                       | 1041020                                       |
| Motor                              | Electric                                      | Electric- Cordless                            |
| Max. bevel depth                   | 6 mm  | 6 mm  |
| Available radius cutters           | R2 - R3 - R4                                  | R2 - R3 - R4                                  |
| Available bevel heads              | 15° - 22,5° - 30° - 37,5° - 45° - 52,5° - 60° | 15° - 22,5° - 30° - 37,5° - 45° - 52,5° - 60° |
| Power                              | 600 W   |   |
| Battery capacity                   | -   | 5.0 Ah  |
| Voltage                            | 230 V (also available in 120 V)               | 18 V  |
| Speed                              | adjustable speed 5.000 - 13.000 rpm           | 8000 rpm (with fully charged battery)         |
| Weight                             | 2,46 kg                                       | 2,63 kg without battery                       |
| Min. opening diameter for beveling | 22 mm   | 22 mm   |
| Min. opening diameter for rounding | 16 mm   | 16 mm   |
| Extras                             | -   | Includes: 2nd battery and battery charger     |

## The new ABIS 3.0 bevel tools have unique features!

A precise and easy to use depth adjustment in 0,125 mm increments.

The new spindle locking button enables changing the router head within 35 seconds.

A freely rotating flange made of hardened (nitrated) steel.

While the ABIS-R is suitable for deburring, small bevels and rounding up to R4 the ABIS-B is the allrounder that can even bevel up to 6mm on 45°



### Pneumatic motor

ABIS-R 3.0




3.0

ABIS-B 3.0



3.0

Safety lever



Removable head with nitrated flange



Spindle locking button



|                                    | ABIS-R 3.0                                    | ABIS-B 3.0                                    |
|------------------------------------|---|---|
| Part no.                           | 1123010                                       | 1123110                                       |
| Motor                              | Pneumatic                                     | Pneumatic                                     |
| Max. bevel depth                   | ±3 mm at 45°                                  | 6 mm  |
| Available radius cutters           | R2 - R3 - R4                                  | R2 - R3 - R4                                  |
| Available bevel heads              | 15° - 22,5° - 30° - 37,5° - 45° - 52,5° - 60° | 15° - 22,5° - 30° - 37,5° - 45° - 52,5° - 60° |
| Air pressure                       | 6,3 bar   91 PSI                              | 6,3 bar   91 PSI                              |
| Recommended air flow               | 25 CFM   0,71 m3/min                          | 25 CFM   0.71 m3/min                          |
| Power                              | 0,375 Kw                                      | 0,820 Kw                                      |
| Speed                              | 25.000 rpm max                                | 16.000 rpm max                                |
| Weight                             | 1,07 kg                                       | 1,13 kg                                       |
| Min. opening diameter for beveling | 22 mm   | 22 mm   |
| Min. opening diameter for rounding | 16 mm   | 16 mm   |

## User experience - Roweko Staalconstructies B.V.

*“For me, saving time is a great benefit. With Beveltools, I can make a bevel or radius, with no further finishing. With grinding discs you take much longer and the end result is never as smooth as with Beveltools.”*

Roweko from Nootdorp specialises in making large steel constructions for applications such as bridges or buildings. Roweko uses Beveltools for both beveling and rounding.

Previously, this was always done with an angle grinder and grinding discs. According to René de Kok, owner of Roweko, this is fine but far from the best solution. “Grinding discs produce a lot of dust and take a very long time to achieve a flush or rounded finish. It is much faster with Beveltools. After taking a look at the different machines, I opted for the EBI-06 Premium and then later on the EBA-12 for the slightly heavier work.”

René and his colleagues immediately saw the advantages of Beveltools as compared with discs. “For me, the greatest advantages of Beveltools are: how much time they save and how easy they are to work with. With grinding discs, you just take too long to get a good result. Now I take the Beveltools beveling machine and make a bevel or radius with one movement. It works so quickly that a grinding disc simply can’t compare. Finishing is no

longer necessary either, which saves a lot of time. I use Beveltools mainly for steel, but they also work brilliantly with plastic,” says René.

Apart from the fact they save time, Roweko are also delighted with the improvement to the work environment. “The chips made by the Beveltools products are relatively large and immediately drop to the ground. We have no more issues with chips flying around and fine dust blown into the air. The machines also make quite a bit less noise.”

Like other metalworkers, Roweko often needs to observe the EN-1090 standard. Sharp edges in steel must be rounded before it can be galvanised and/or coated. “Beveltools simply deliver a great result. You would never get such a smooth edge with an angle grinder,” says René. “I recommend Beveltools for any business that regularly has to do rounding or beveling. It is no huge investment either. For a couple of hundred euros, you have a machine with bevel heads. It saves you so much time that you quickly recoup that investment.”



# Bevel Mite® bevel heads



Steel bevel head

Aluminum bevel head

Version 3.0 bevel head

|          | Steel bevel head | Aluminum bevel head | Version 3.0 bevel head |
|----------|------------------|---------------------|------------------------|
|          |                  |                     |                        |
| Type     | 15-06-STL *      | 15-06-ALU           |                        |
| Part no. | 7106000          | 7106010             |                        |
|          |                  |                     |                        |
| Type     | 22-06-STL *      | 22-06-ALU           |                        |
| Part no. | 7107000          | 7107010             |                        |
|          |                  |                     |                        |
| Type     |                  | 30-06-ALU           | 30-06-v3.0             |
| Part no. |                  | 7104010             | 7104030                |
|          |                  |                     |                        |
| Type     | 37-06-STL *      | 37-06-ALU           |                        |
| Part no. | 7103000          | 7103010             |                        |
|          |                  |                     |                        |
| Type     |                  | 45-06-ALU           | 45-06-v3.0             |
| Part no. |                  | 7102010             | 7102030                |
|          |                  |                     |                        |
| Type     | 52-06-STL *      | 52-06-ALU           |                        |
| Part no. | 7108000          | 7108010             |                        |
|          |                  |                     |                        |
| Type     | 60-06-STL *      | 60-06-ALU           |                        |
| Part no. | 7105000          | 7105010             |                        |

\* STL versions- these will be phased out and can only be ordered as long as they are in stock. No back orders possible

# Bevel Mite® cutter heads with radius



Steel radius cutter

Aluminum radius cutter

Version 3.0 radius cutter

|          | Steel radius cutter | Aluminum radius cutter | Version 3.0 radius cutter |
|----------|---------------------|------------------------|---------------------------|
|          |                     |                        |                           |
| Type     |                     | R2-06-ALU              | R2-06-v3.0                |
| Part no. |                     | 7101110                | 7101130                   |
|          |                     |                        |                           |
| Type     |                     | R3-06-ALU              | R3-06-v3.0                |
| Part no. |                     | 7101010                | 7101030                   |
|          |                     |                        |                           |
| Type     | R4-06-STL *         | R4-06-ALU              | R4-06-v3.0                |
| Part no. | 7101200             | 7101210                | 7101230                   |

\* STL versions- these will be phased out and can only be ordered as long as they are in stock. No back orders possible



## User experience from a Dutch metalworking company



**“For a large project, we had to round off a great number of metres and in accordance with NEN-EN 1090. With just one Premium bevel head we could round off over 200 metres. That is four times more than with a set of inserts!”**

A metalworking company from the region of Utrecht used Beveltools for a large project. For one particular client, they had to produce different steel parts for electricity pylons. These electricity pylons, with a height of 55 to 75 metres, were recently fitted in several areas, including Achterhoek (The Netherlands).

The manager explains: “For this client we delivered the steel parts for the electricity pylons. These included a large number of connection rings, lifting eyes, bulkheads, brackets and attachment points used for the pylons.” Because these are load-bearing galvanised steel constructions, all parts must carry CE certification in accordance with NEN-EN 1090. This norm states the technical specifications to which the steel end products must adhere. Part of this norm stipulates that edges must be rounded with a minimum radius of 2 mm to obtain a greater bonding surface for coating.

“The connection rings must all be rounded in accordance with the EN 1090 norm. We chose to do this with radius 3 to achieve a better finish. The largest connection ring had a diameter of 2.5 metres, which makes a lot of metres to round off. I looked for a system with which I could quickly achieve radius 3 at a low cost. We didn’t have much experience with rounding, but for this project we delved into it and we decided to purchase

a machine,” says the manager. The machine had to be easy to handle and control, and not too expensive to use so that it would also make sense for smaller projects. Initially, the company had gone for a system with inserts.

However, they did not meet expectations. The service life promised was not achieved and the inserts had to be exchanged much too often. “Alternating the inserts takes an incredible amount of time, plus they are fragile so they broke all too often even before we’d used them for all cutting edges. The work took much longer and cost much more than I’d anticipated. Then I contacted Beveltools and immediately switched to this system, especially because of the single bevel head. The steel bevel heads by Beveltools lasted 2 to 2.5 times longer in our case than a set of inserts. When Beveltools showed us the Premium bevel head, we immediately started to use it. With just one Premium bevel head we could round off over 200 metres. That is four times more than with a set of inserts!”

For the metalworking company it is a huge advantage that the bevel heads are made up of one piece. You can swap the bevel head in the blink of an eye and because it has many cutting edges, machining goes really smoothly. “With Beveltools we were able to finish our work before the deadline and at an advantageous cost. Our client was delighted with the results.”

*“ With a bur bit it took us on average 45 seconds to 1 minute to bevel a hole. Now, with the lightweight ABIS machine, it only takes us 7 to 10 seconds. ”*



Located in El Dorado, KS, ConFab Incorporated, part of C-Tech Industrial Group, specializes in custom made pipe and steel construction for commercial, industrial and petrochemical applications.

Jesus Arredondo: “Before we purchased the Bevel Mite® ABIS-06 we were using a bur bit and it would take on average 45 seconds to 1 minute to bevel a 4 cm diameter hole. Now with this tool we are averaging 7 to 10 seconds per hole and that’s a lot in an 8 hour day.”



# Bevel Mate® 3.0 | for more intensive work

## The Bevel Mate® concept

The Bevel Mate® concept has been designed for heavy-duty beveling and radius work, like bevel up to a depth of 12 mm or radius 8mm. The Bevel Mate® machines are compact and powerful. Available in 2 types: with electric motor (EBA 3.0) or pneumatic motor (ABA 3.0).



Electric motor

EBA 3.0

3.0



|                                    | EBA 3.0                                       |
|------------------------------------|---|
| Part no.                           | 2031110                                       |
| Motor                              | Electric                                      |
| Max. bevel depth                   | 12 mm   |
| Available radius cutters           | R2 - R3 - R4 - R5 - R6 - R8                   |
| Available bevel heads              | 15° - 22,5° - 30° - 37,5° - 45° - 52,5° - 60° |
| Power                              | 1,53 KW                                       |
| Voltage                            | 230 V (also available in 120 V)               |
| Speed                              | 5000 - 10.000 rpm                             |
| Weight                             | 4,5 kg  |
| Min. opening diameter for beveling | 41 mm   |
| Min. opening diameter for rounding | 22 mm   |




The Bevel Mate® concept works 50% faster and considerably quieter than with a sanding disc and without grinding dust. The end result is exact in radius and without burrs, so no post-processing is required.




## Pneumatic motor

### ABA 3.0

3.0



|                                    | ABA 3.0                                       |
|------------------------------------|---|
| Part no.                           | 2042000                                       |
| Motor                              | Pneumatic                                     |
| Max. bevel depth                   | 12 mm   |
| Available radius cutters           | R2 - R3 - R4 - R5 - R6 - R8                   |
| Available bevel heads              | 15° - 22,5° - 30° - 37,5° - 45° - 52,5° - 60° |
| Air pressure                       | 6,3 bar                                       |
| Recommended air flow               | 38 CFM   1,1 m3/min                           |
| Power                              | 1,1 KW  |
| Speed                              | 11.000 rpm max                                |
| Weight                             | 4,40 kg                                       |
| Min. opening diameter for beveling | 41 mm   |
| Min. opening diameter for rounding | 22 mm   |



# Bevel Mate® bevel heads



Steel bevel head

Aluminum bevel head

Version 3.0 bevel head

|          | Steel bevel head | Aluminum bevel head | Version 3.0 bevel head |
|----------|------------------|---------------------|------------------------|
|          |                  |                     |                        |
| Type     | 15-08-STL *      | 15-08-ALU           |                        |
| Part no. | 7205000          | 7205010             |                        |
|          |                  |                     |                        |
| Type     | 22-08-STL *      | 22-08-ALU           |                        |
| Part no. | 7206000          | 7206010             |                        |
|          |                  |                     |                        |
| Type     | 30-08-STL *      | 30-08-ALU           | 30-08-v3.0             |
| Part no. | 7204000          | 7204010             | 7204030                |
|          |                  |                     |                        |
| Type     |                  | 37-08-ALU           | 37-08-v3.0             |
| Part no. |                  | 7203010             | 7203030                |
|          |                  |                     |                        |
| Type     |                  | 45-08-ALU           | 45-08-v3.0             |
| Part no. |                  | 7202010             | 7202030                |
|          |                  |                     |                        |
| Type     | 52-08-STL *      | 52-08-ALU           |                        |
| Part no. | 7208000          | 7208010             |                        |
|          |                  |                     |                        |
| Type     | 60-08-STL *      | 60-08-ALU           |                        |
| Part no. | 7207000          | 7207010             |                        |

\* STL versions- these will be phased out and can only be ordered as long as they are in stock. No back orders possible

# Bevel Mate® bevel heads



Steel bevel head

Aluminum bevel head

Version 3.0 bevel head

|          | Steel bevel head | Aluminum bevel head | Version 3.0 bevel head    |
|----------|------------------|---------------------|---------------------------|
|          |                  |                     |                           |
| Type     | 15-12-STL *      | 15-12-ALU           |                           |
| Part no. | 7305000          | 7305010             |                           |
|          |                  |                     |                           |
| Type     | 22-12-STL *      | 22-12-ALU           |                           |
| Part no. | 7306000          | 7306010             |                           |
|          |                  |                     |                           |
| Type     |                  | 30-12-ALU           | 30-12-v3.0                |
| Part no. |                  | 7304010             | 7304030                   |
|          |                  |                     |                           |
| Type     |                  | 37-12-ALU           | 37-12-v3.0                |
| Part no. |                  | 7303010             | 7303030                   |
|          |                  |                     |                           |
| Type     |                  | 45-12-ALU           | 45-12-v3.0                |
| Part no. |                  | 7302010             | 7302030                   |
|          |                  |                     |                           |
| Type     | 52-12-STL *      | 52-12-ALU           | 52-12-v3.0                |
| Part no. | 7308000          | 7308010             | Only available on request |
|          |                  |                     |                           |
| Type     | 60-12-STL *      | 60-12-ALU           | 60-12-v3.0                |
| Part no. | 7307000          | 7307010             | 7307030                   |

\* STL versions- these will be phased out and can only be ordered as long as they are in stock. No back orders possible

# Bevel Mate® cutter heads with radius



Steel radius cutter

Aluminum radius cutter

Version 3.0 radius cutter

|          | Steel radius cutter | Aluminum radius cutter | Version 3.0 radius cutter |
|----------|---------------------|------------------------|---------------------------|
|          |                     |                        |                           |
| Type     | R2-08-STL           | R2-08-ALU              | R2-08-v3.0                |
| Part no. | 7201100             | 7201110                | 7201130                   |
|          |                     |                        |                           |
| Type     | -                   | R3-08-ALU              | R3-08-v3.0                |
| Part no. | -                   | 7201010                | 7201030                   |
|          |                     |                        |                           |
| Type     | R4-08-STL *         | R4-08-ALU              | R4-08-v3.0                |
| Part no. | 7201200             | 7201210                | 7201230                   |
|          |                     |                        |                           |
| Type     | -                   | R5-08-ALU              | R5-08-v3.0                |
| Part no. | -                   | 7201310                | 7201330                   |
|          |                     |                        |                           |
| Type     | -                   | R6-10-ALU              | R6-10-v3.0                |
| Part no. | -                   | 7201410                | 7201430                   |
|          |                     |                        |                           |
| Type     | -                   | R8-12-ALU              | R8-12-v3.0                |
| Part no. | -                   | 7201610                | 7201630                   |

\* STL versions- these will be phased out and can only be ordered as long as they are in stock. No back orders possible

## User experience - Jos van den Bersselaar Constructie B.V.


*“ We work a lot with harder metals and laser-cut steel. The Bevel Mate® EBA, because of its long service life, is ideal for rounding holes in our pieces. ”*

At Jos van den Bersselaar Constructie B.V. in Udenhout, quality has always been paramount and ultimately it became a specialism: not supplying steel, but solutions. The company specializes in high-performance, lightweight structures made of steel aluminum and stainless steel.

Lots of holes have to be rounded in these structures. This rounding should have a constant radius of at least 2 mm, because the workpieces are galvanized and coated. In the past this regularly resulted in major challenges. It cost the company a lot of time and effort to supply the expected high quality using a machine with inserts.

After watching a demonstration of the Bevel Mate® EBA, they were immediately enthusiastic and a second machine was purchased within six months. This was the perfect solution to their issue.

Maarten van de Wouw, CWL: “The machine with inserts would already be blunt after using it 2 to 3 times, so that did not work for us. We work a lot with hard materials and laser-cut steel. The Bevel Mate® EBA is truly ideal for rounding the holes in workpieces because of the long service life and its high level of user-friendliness. We are very happy that we can now supply our high quality to our customers without issues.”



# Bevel Mate® Guide

## More stability when machining metal

The Bevel Mate® Guide has been specially developed to give you perfect lateral guidance for beveling and rounding. This attachment gives your Bevel Mate® machine even more stability when machining metal.


The wear-resistant POM guiding blocks increase the running surface, thereby offering increased support both on sheet material and round pipes. Especially if many meters of material are being machined sequentially, this attachment offers extra stability. Equally, because of its special design, the discomfort of flying chips is reduced.

This unique accessory is simple to fit on the flange head and is made of top-grade nitrided stainless steel. With the use of POM plastic guiding blocks scratches on the material are prevented. Thanks to the open underside, the bevel head is still simple to swap.

The Bevel Mate® Guide is a separate attachment for your EBA or ABA machine.



Part no. 8233300



# Accessories

In addition to the range of machines and cutting tools, we also offer a series of accessories.



## Flange heads

These are available for all 3.0 machines. Nitrided and with freely rotating flange, which is also QPQ® hardened. So can be used on stainless steel.

| Part name                           | Part no. |
|-------------------------------------|----------|
| Flange head for all EBA's & ABA's   | 8233010  |
| Flange head for EBI 3.0 & EBI-C 3.0 | 8232010  |
| Flange head for ABIS-R 3.0 & ABIS-B | 9140201  |



## POM guide blocks

The guide blocks, made of wear-resistant POM plastic, are used on the Bevel Mate® Guide. Set of 2 pieces, including mounting screws.

| Part name                | Part no. |
|--------------------------|----------|
| Guide Blocks POM plastic | 9233300  |



## Sacrificial adapters

All 3.0 machines have an adapter with shear pin for mounting the cutter. When damaged these can be easily replaced. Available repair-sets:

| Part name   | Part no. |
|---|----------|
| Adapter rep. set EBA 3.0 *                                | 9700211  |
| Adapter rep. set ABA 3.0 *                                | 9330153  |
| Adapter rep. set EBI 3.0 & EBI-C 3.0 *                    | 9150125  |
| Adapter rep. set ABIS-R 3.0 & ABIS-B 3.0 *                | 9140127  |
| * contains: 1x adapter, 5x pin, 2x set screw and 2x bolts |          |



## Guide bearings

The guide bearings are available individually and in 5 different sizes. (9400014 not shown on picture)

| Part name                                    | Part no. |
|--|----------|
| Guide bearing xx-06-C for all 6mm cutters    | 9400003  |
| Guide bearing xx-08-C for bevel cutters      | 9300001  |
| Guide bearing xx-08R-C for R2-R3-R4 cutters  | 9400005  |
| Guide bearing xx-12-C for bevel cutters      | 9400004  |
| Guide bearing xx-R6R8-12-C for R6/R8 cutters | 9400014  |





# Beveltools The Game Changer

## History

2013 was an exciting year. An American-Korean duo of inventors developed a revolutionary new bevel tool. This created a new standard for rounding and beveling metal. Entrepreneur Jan Enno Hofman recognized the quality and the innovative application of it, leading to the incorporation of Beveltools.

## Future

The current team of specialists is continuously busy developing new solutions. It must be possible to make beveling and rounding metal easier, more accurate, faster and cheaper. The daily struggles one faces when rounding and beveling metal creates our drive to provide tools that can be used to create perfect end results. The basic assumptions used here are cost and time savings, but also user-friendliness.



# Contact

Distribution Australia

## Josco

6 Silkwood Rise

Carrum Downs VIC 3201

P 03 8794 4300

E [customerservice@josco.com.au](mailto:customerservice@josco.com.au)

W [josco.com.au](http://josco.com.au)

Find us on Facebook

and Instagram @joscoaustralia



**ABA 3.0**  
PNEUMATIC TOOL

**BEVEL TOOLS**

[www.beveltools.com](http://www.beveltools.com)