JOSCO





About Kapro

Kapro is a leading manufacturer and developer of innovative hand tools for the professional and DIY markets. Kapro make the industry's finest quality spirit levels, laser levels, layout marking and measuring tools. The company has built a reputation as the industry's foremost innovator, and is renowned for its quality products, outstanding service, added value and cutting-edge designs.

Global Distribution Network

Kapro is a major global player in its category. Headquartered in Kadarim Israel, Kapro operates facilities in Israel, China and the USA – all wholly owned by Kapro Industries. Their network of distribution partners has created a leading market presence in over 60 countries, throughout Europe, the Americas, Asia and Africa.

Innovation & Design

Kapro's systematic approach to innovation has given the market some of its most ground-breaking features and products. Their market-changing patented designs include the Plumb Site® Dual-View™ vial, Optivision™ Red, Postrite® Folding Post Level and Topgrade™ Gradient Level.

Kapro's Plumb Site® Dual View™ vial is the only level feature to provide a front-on view of the plumb vial, eliminating parallax error as well as the neck and back strain that usually accompany vertical leveling jobs.

In 2010, Kapro introduced Optivision™ Red that creates a strong colour definition around the spirit levels horizontal bubble, making it the clearest and most visible vial available.

To date, Kapro has registered over 100 patents throughout the world on its products and features Kapro's unique designs are highlighted by their sleek, stand-out red look, eye-catching graphics, simplicity of design and innovative packaging. Kapro's engineering and design departments are based in Israel.

Quality, Service & Value

Kapro is dedicated to excellence in every aspect of development, production, distribution, sales and marketing. Kapro is the only level manufacturer in the world to carry the prestigious VPA mark of quality. All manufacturing facilities are certified compliant with ISO standards 9001, 14001, and SA800. All Kapro laser and electronic products carry FDA and CE certification, and RoHS, WEEE and REACH regulations. The Kapro brand represents high quality tools with a design edge that guarantees added value.

THE WORLD'S MOST VISIBLE VIALS

By making vial visibility the heart of its quest for excellence, Kapro tools offer a clear advantage and are changing the way the professional contractor uses a level.

PLUMB SITE® DUAL VIEW™

The only true plumb view

Kapro offers a unique solution that lets you view the plumb vial from the front. The patented Plumb Site® Dual View™ vial doesn't add much in cost to the level – but saves your neck and eyes from preventable, repetitive strain, and guarantees an accurate view of the plumb vial.



OPTIVISION™ RED

A new level of visibility

OPTIVISION™ is a Kapro invention that creates the effect of a strong red colour definition around the spirit level's horizontal bubbles, in stark contrast to the white vial background and clear liquid. The colour contrast makes the bubbles edges significantly easier to see – even in low or bright light – for fast and accurate placement between the reading lines.



Contents

| About Kapro | |
|-----------------------|-----|
| Levels | 1.0 |
| Post & Surface Levels | 1.1 |
| Toolbox Levels | |
| Layout & Marking | 2.0 |
| Measuring Tools | 2.0 |
| T-Bevels & Marking | 21 |

Condor™ The Professional Box Level with OPTIVISION™ Red



K90560

- 2 solid acrylic shockproof vials:
 - 1 OPTIVISION™ Red horizontal vial creates highly visible red bubble edges
 - 1 Plumb Site® Dual-View™ vial with RedEffect™
- Tilted horizontal vial with a direct line of sight for easy viewing
- Gradient lines for slope measurements up to 2%
- Bridge at horizontal vial for increased toughness and a continuous marking surface
- Oversized shock-absorbing rubber end caps with wall-grip feature
- Ergo Grip™ rubber handle
- Finely milled surface
- Accuracy: <0.5mm/m (0.0005 in/in)

Millimetre 600 1200 Inch 24 48





















| Part No. | Size |
|----------|--------|
| K90560 | 600mm |
| K905120 | 1200mm |



Plumb Site® Dual-View™ Vial



OPTIVISION™ Red



Rubber End Caps

Vulcan™ The Next Generation



Millimetre 600 | 1200 | 1800 | 2400 K99560

Inch 24 : 48 : 71

- 2 solid acrylic vertical vials with 1 Plumb Site® Dual View™ vial
- 1 magnified horizontal solid acrylic vial for a clear view of the bubble
- Accuracy: 0.5mm/m (<0.0005 in/in)
- 2 finely milled surfaces in V-Groove for pipe measurements up to 1200mm (48")
- Reinforced profile to maintain accuracy in tough work conditions
- Rubber shockproof end caps to protect the levels integrity
- Ergonomic bi-material handle for a comfortable grip



















| Part No. | Size |
|----------|--------|
| K99560 | 600mm |
| K995120 | 1200mm |
| K995180 | 1800mm |
| K995240 | 2400mm |







Spirit™ Quality Box Level



K77960

Millimetre 400 600 900 1200 1800 2000 Inch 16 24 35 48 72 80

- Milled surface on lengths up to 1200mm (48")
- Shock absorbing rubber end caps
- · Wall grip feature
- Accuracy: 0.5mm/m (<0.0005 in/in)



















Exodus Professional Box Level and Ruler



K77060

- 3 solid acrylic shockproof vials
 - Horizontal with gradient lines up to 2%
 - Vertical
 - 45°
- Ruler along the profile
- Finely milled surface (up to 1200mm)
- Shock absorbing rubber end caps
- Accuracy: 0.5mm/m (0.0005 in/in)
- Wall grip feature





















| Part No. | Size |
|----------|--------|
| K77060 | 600mm |
| K770120 | 1200mm |

Topgrade™ Gradient Level



K10560

- 3 solid acrylic vials and 1 vertical vial
- Accurate slope measurement at up to 2%
- Finely milled surface
- Accuracy: 0.5mm/m (0.0005 in/in)





















DIGIMAN® Professional Magnetic Digital Level



K985DL60

- Plumb Site® Dual View™ vial, solid acrylic vials, Ergo Grip™ handles, shockproof end caps
- 45° tilted LCD display with back light
- 180° readout display remains straight when the level is upside-down
- Digital accuracy: <0.1° at level and plumb, <0.2° other angles
- HOLD function for transferring measurements
- MODE function: Degree/percentage/pitch
- Memory recall 9 measurements
- Buzzer at 0°, 45° and 90°
- Recalibration function and "False Zero"
- Rainproof and dust resistant
- Large silicon buttons which are easy to use while wearing gloves
- Two finely milled surfaces with rare earth magnets
- Laser pointer up to 50m and tripod ready
- Weatherproof bag included



















Part No. Size
K985DL60 600mm







Tripod Ready - 1/4" Thread



Digital Accuracy



Weatherproof Bag

Levels Heavy-Duty Cast Aluminium

Smartcast™ Professional Mason's Level with OPTIVISION™ Red



5.5cm (2.2")

K93080

- 2 solid acrylic shockproof vials:
 - 1 OPTIVISION™ Red horizontal vial creates highly visible red bubble edges
 - Horizontal vial is tilted for an easy and direct line of sight
 - Gradient lines for slope measurements up to 2%
- Bridge at horizontal vial for increased toughness
- Shock-absorbing rubber strike pads and end caps withstand trowel blows and protect the levels integrity
- Heavy-duty cast aluminium tapered body
- Finely milled surface
- Accuracy: <0.5mm/m (0.0005 in/in)



Part No. Size
K93080 800mm











Topcast™ Mason's Level The Toughest Cast Level



K73080

- 2 solid acrylic vials
- 2 heavy-duty cast aluminium "anvil" strike pads for trowel blows during tile work
- Drill bit diameter gauge in the level's profile
- Milled surface
- Accuracy: <0.5mm/m (0.0005 in/in)





















Post Levels & Surface Levels

Postrite® Folding Post Level





K340D

- 3 Vials
- Folds closed, opens flat
- Click-lock every 15°
- Adjustable elastic strap for non-magnetic surfaces
- 4 powerful magnets for metal surfaces
- For all posts, pipes and signs
- Available in 6 piece display







Part No.

K340D





Post Levels & Surface Levels

Pipe Level Set





K350

- For standard metal and plastic pipe sizes (see table)
- 2 easy-to-read vials vertical and horizontal
- Easy slope measurement
- Ideal for plumbing





| Part No. | Sizes within set |
|----------|---------------------------------|
| K350 | 15mm, 20mm, 25mm, 32-40mm, 50mm |

| Nominal Sizes | IPS Steel Stainless Steel PVC Plastic inches/mm | CTS Copper inches/mm | PP Plastic |
|------------------|--|-----------------------------------|------------|
| 1/2" | ½ 15 | ³ ⁄ ₄ 20 | 25 |
| 3/4" | ³ ⁄ ₄ 20 | 1 25 | 32 |
| 1″ | 1 25 | 1¼ - 1½ 32-40 | 40 |
| 11/4" - 11/2" | 1¼ - 1½ 32-40 | | 50 |
| 2" | 2 50 | | 63 |

Bull's Eye Level & Magnetic Cross Level





K240 Bull's Eye Level

K242D Magnetic Cross Level

- Multipurpose levels
- Pre-cast holes for easy attachment
- Sensitivity: 30arc/min.

| Part No. | Description |
|----------|----------------------|
| K240 | Bull's Eye Level |
| K242D | Magnetic Cross Level |

Toolbox Levels Heavy-Duty Cast Aluminium

OPTIVISION™ Cast Toolbox Level





- 3 solid acrylic shockproof vials:
 - 1 OPTIVISION™ Red horizontal vial creates highly visible red bubble edges
 - Tilted horizontal vial with epoxy locking for direct line of sight viewing
 - Vial gradient lines for measuring slopes up to 2%
- Angle finder with gradient marking every 5°
- Rare-Earth magnets for the strongest grip to any metal surface
- Impact resistant end caps
- Finely milled surface with V-Groove
- Accuracy: <0.5mm/m (0.0005 in/in)

| Part No. | Size |
|----------|-------|
| K935 | 250mm |

















Cast Toolbox Level



K923

- 3 solid acrylic vials, including:
 - 1 Plumb Site® Dual View™ vial
 - Epoxy-locked horizontal vial
 - 45° angle vial
- Heavy-duty cast aluminium body
- Milled surface with rare-earth magnets
- V-groove for easy placement on pipes/conduit
- Accuracy: 0.5mm/m (<0.0005 in/in)













| Part No. | Size |
|----------|-------|
| K923 | 250mm |





Toolbox Levels

Toolbox Level



K227D


- 3 easy-to-read vials (horizontal, vertical and 45°)
- Magnetic V-groove for pipe/conduit
- Tough rubber end caps







K227D 230mm





Magnetic Handy Level



K246MD




- Shockproof solid acrylic vial
- Lightweight aluminium box profile fits easily into your tool belt or pocket
- Shockproof end caps
- Accuracy 0.5mm/m (<0.0005 in/in)
- Magnetic


















Prolaser® Set-A-Shelf Set & Match® with Laser Line



K81480

- Horizontal, vertical and 45° lines
- 2 easy-to-read vials
- "Click-in-place" lock
- "Slide-and-lock" level markers
- Laser range up to 6 metres

*Batteries not included









Measure Mate The Ultimate Home-Improvement Tool



K31360

- Sturdy triangular profile
- 2 easy-to-read vials
- Sliding markers easily set and transfer measurements
- Safe and accurate sliding knife guide
- Zero and centre point scales
- Nail gripper and drill bit diameter gauge
- Electrical and plumbing scale markings

| Part No. | Size |
|----------|-------|
| K31360 | 600mm |








Magnetic Lock Combination Square





K325


- Magnetic lock adjustment
- Stainless steel blade
- Permanently etched ruler markings (inches and centimetres)
- Heavy-duty cast zinc body
- 5 milled sides for superior accuracy
- Easy Grip™ magnet-held stainless steel scribe
- Belt holster included
- Easy-to-read vial





| Part No. | Size |
|----------|-------|
| K325 | 300mm |

Combination Square





K352

- Stainless steel blade with permanently etched ruler markings
- 5 milled sides for superior accuracy
- Heavy-duty cast zinc body
- Easy to read vial

| Part No. | Size |
|----------|-------|
| K352 | 300mm |

Ledgend™ Square

- 22.5°, 45°, 67.5° and 90° angles for beveling and framing
- Unique support ledge
- Permanently etched stainless steel blade
- High-impact polymer handle

| Part No. | Size |
|----------|-------|
| K30920 | 200mm |
| K30930 | 300mm |
| K30940 | 400mm |





K30930



Rafter Square



K444

- Durable and lightweight Ergocast[™] material
- Molded-in conversion tables
- Easy-to-read gradations
- Base enables easy marking and cutting



K444



Framing Square


- Heavy-duty painted steel frame
- Durable high visibility printing for all work conditions
- Complete conversion and rafter tables printed on reverse side

| Part No. | Size |
|----------|---------------|
| K30560 | 400mm x 600mm |



K30560

Adjustable T-Square





- Anodized aluminium finish
- · Sliding head adjusts to any angle
- Folds for easy storage
- ABS end caps with ledge: hands free hold, won't flip
- Durable printed scale and etched angle markings
- Strong screw long
- 1200mm length

| Part No. | Size |
|----------|--------|
| K317120T | 1200mm |





Part No. Size

K316120T

1200mm

T-Bevels & Marking

T-Bevel



- · Easy-to-read vial
- Built-in 5mm (3/16") trim gauge on side and bottom
- Angle markings on handle
- Etched stainless steel blade and bolt
- Cm/Inch gradations
- Tough rubber handle inserts

Part No.

K301

Plumb Bob Chalk Line



- Durable Easy Grip[™] case
- All-in-one end hook: holds on nails and ledges, tacks into drywall
- Break resistant and powder absorbent chalk line string
- Clean chalk refill won't spill
- Wall mount and storage hanger
- 85g (3 oz) capacity and 30m (100') line
- Comes with 113g (4 oz) red or blue chalk bottle

| Part No. | Capacity | Line |
|----------|----------|------|
| K211S | 85g | 30m |

Technical Information

Key Index



Plumb Site® Dual View™ Vial
Unique front view of the vertical vial



Angle Finder
Transfer angle measurements



Accuracy

Solid acrylic vials are individually calibrated



Shockproof End Caps

Protects the levels integrity and accuracy



Precision

Up to 0.5mm/m in all positions



Air-cushioned Ergo Grip™ Handles

Patented wall-grip handles with PVC air cushions



Solid Acrylic Shockproof Vials

Superior accuracy, readability and longevity



Magnetic

Powerful magnetic surface for accurate hands-free leveling



Magnified Vial

Better readability



VPA

Vial accuracy certified by the German VPA laboratory



UV Resistant

Protected from the fading effects of sunlight



Lifetime Vial Warranty

Solid acrylic vials are guaranteed not to fog, leak or break



Josco's extensive product range spans across a broad range of categories:

- Wire Brushes
- · Grinding & Sanding
- Cutting
- Polishing
- · Cleaning & Brooms
- Hand Tools & Engineering
- Levels & Measuring Tools
- Lubrication Equipment

For general enquiries and more information on Josco products, please contact us at:

196 Hammond Road Dandenong South VIC 3175

Free Call: 1800 445 444 Free Fax: 1800 447 388

Email: customerservice@josco.com.au

JOSCOAUSTRALIA.COM